

Name: _____

Company: Oakley Trucking, Inc.

Date: _____

General Awareness & Familiarization Test

Directions: Read each statement carefully and circle the response that most fully answers the question.

1. Containers for hazardous materials must be:
 - a. Leak-proof, marked with ID numbers, and tested prior to use
 - b. Leak-proof, color-coded, and marked with ID numbers
 - c. Color-coded and marked with ID numbers
 - d. None of the above

2. All emergency information regarding a hazardous material must:
 - a. Contain an emergency telephone number
 - b. Be accessible to workers
 - c. Be printed in English and available at a location away from the HazMat
 - d. All of the above

3. A HazMat employee is defined as one who:
 - a. Works in a trucking company
 - b. Has a direct affect on the safe transportation of hazardous materials
 - c. Works in the loading and storage area of a company
 - d. Owns/Operates a truck

4. In the Hazardous Materials Table, the packing group is an indication of:
 - a. The size of the HazMat package
 - b. The weight of the HazMat package
 - c. The degree of danger the material presents
 - d. The size and weight of the HazMat package

5. Separation distance refers to the:
 - a. Required distance between the HazMat in storage
 - b. Required distance between radioactive materials and other materials
 - c. Required distance between people and cargo compartment dividing partitions
 - d. Both B and C

General Awareness & Familiarization Test

6. The proper entry of a HazMat on a shipping paper must show:
 - a. The emergency response phone number, the name of the shipper, the basic description of the material, and the ID number
 - b. Only the description
 - c. Only the shipping name and ID number
 - d. Description and emergency response phone number

7. Placards must be placed:
 - a. On each side and each end of the hazardous material package
 - b. On each side and each end of the transport vehicle or rail car
 - c. On the top of the HazMat package
 - d. Description and emergency response phone number

8. Hazardous material warning labels list:
 - a. The contents, weight, and destination of the HazMat package
 - b. The description, weight, and destination of the HazMat package
 - c. The correct class and division of the HazMat package
 - d. Warning labels are color-coded only

9. Proper shipping names appear in the HazMat Table as:
 - a. Highlighted
 - b. Italic print
 - c. ALL CAPITALS
 - d. Roman type

10. Placards must display the correct ID number and:
 - a. Basic description
 - b. Packing group
 - c. Class and division
 - d. Be color-coded

Name: _____

Company: Oakley Trucking, Inc.

Date: _____

Function Specific Test

1. The ID number for Ammonium Nitrate Based Fertilizer is:

- a. 1230
- b. 2072
- c. 2067
- d. 3170

2. The ID number for Aluminum Dross is:

- a. 3077
- b. 2072
- c. 3170
- d. 2067

3. The ID number for Carbon Pitch is:

- a. 2072
- b. 1494
- c. 3077
- d. 3170

4. What is NOT the responsibility of the shipper:

- a. Labeling
- b. Placarding
- c. Packaging
- d. Preparing

5. Aluminum Dross must be kept:

- a. Clean
- b. Dry
- c. Cool
- d. In small pieces

Function Specific Test

6. Ammonium Nitrate Based Fertilizer is a class _____ HazMat
- 1
 - 2
 - 4
 - 5
7. Aluminum Dross is a class _____ HazMat
- 2
 - 4
 - 6
 - 8
8. Carbon Pitch is a class _____ HazMat
- 1
 - 9
 - 5
 - 3
9. When crossing a railroad track, how close must you stop before crossing?
- 15 to 50 yards
 - 50 to 100 feet
 - On the white line
 - 15 to 50 feet
10. You should never try to cool a hot load of Aluminum Dross with:
- Sand
 - Dry chemicals
 - Water
 - Fire extinguishers
11. If you have just loaded Ammonium Nitrate Based Fertilizer and the shipper tells you he is out of placards, you should:
- Call safety
 - Call your dispatcher
 - Haul the load without the placards
 - Call the DOT

Name: _____

Company: Oakley Trucking, Inc.

Date: _____

Safety Specific Test

1. Safety training is intended for:
 - a. Those who directly handle or transport HazMat
 - b. Warehouse workers, packers, and drivers
 - c. Those involved with packaging, labeling, and placarding
 - d. Drivers

2. All emergency information regarding a HazMat must:
 - a. Contain an emergency telephone number
 - b. Be accessible to workers
 - c. Be printed in English and available away from the HazMat package
 - d. All of the above

3. When dealing with vapors, fumes, and smoke:
 - a. Stay clear only if you know the materials is hazardous
 - b. Stay clear and assume the material is hazardous
 - c. Approach slowly after covering your mouth and nose
 - d. Approach slowly after calling for assistance

4. The orange pages of the Emergency Response Guidebook contain:
 - a. A listing of HazMat by ID number
 - b. An alphabetical listing of HazMat
 - c. Initial Isolation and protective action distances
 - d. Emergency response information

5. If an entry in the Emergency Response Guidebook is highlighted you should:
 - a. Be prepared to set up barricades
 - b. Turn to the orange pages for emergency response information
 - c. Turn to the green pages: Initial isolation and protective action distances
 - d. No material is highlighted

Safety Specific Test

6. The emergency telephone number must be:
 - a. Answered 24 hours a day
 - b. Connected to a 911 dispatcher
 - c. Answered 24 hours a day by someone knowledgeable in HazMat
 - d. Answered or connected to a recorder 24 hours a day

7. At a minimum, Safety Training must include:
 - a. How to isolate a spill
 - b. Knowing whom to call in case of a HazMat emergency
 - c. How to use a fire extinguisher properly
 - d. Both B and C

8. If you cannot find either the ID number or name of a spilled material that you believe is hazardous:
 - a. Use guide 111 until you receive more information
 - b. Take no action until you receive more information
 - c. Leave the area immediately
 - d. Select any of the guide numbers used for explosives

9. The green pages of the Emergency Response Guidebook provide:
 - a. A listing of HazMats by ID numbers
 - b. An alphabetical listing of HazMat
 - c. Initial isolation and protective action distances
 - d. Emergency Response information

10. you may transport any HazMat as long as:
 - a. The placards are correct
 - b. The bill of lading is correct
 - c. You may only transport HazMat with a properly documented bill of lading and proper placards.

Name: _____

Company: Oakley Trucking, Inc.

Date: _____

Driver Test

1. Driver training is intended for:
 - a. Over-the-road vehicle drivers who transport HazMat
 - b. Over-the-road vehicle drivers, including cargo tank and portable tank operators
 - c. Anyone who drives a company vehicle
 - d. Drivers and Dispatchers

2. The basic reason for doing a pre-trip inspection is to:
 - a. Check the levels of oil, coolant, battery fluid, etc.
 - b. Make sure all items are separated and secured as required
 - c. Find any defects or problems that could cause an accident
 - d. Check steering wheel, clutch, accelerator, horn and windshield wipers

3. Emergency equipment includes:
 - a. A fully charged and properly rated fire extinguisher
 - b. Extra tarps
 - c. Warning reflective triangles
 - d. Both A and C

4. When fueling your vehicle:
 - a. The engine must be turned off and you must be in attendance
 - b. The engine must be turned off
 - c. The engine must be turned off and you must be able to clearly view your truck
 - d. The engine can be on as long as you are in attendance

5. If the road surface is slippery:
 - a. Be especially watchful of your oil pressure
 - b. Reduce your speed
 - c. Avoid quick movements of the steering wheel
 - d. Both B and C

Driver Test

6. You can not park within _____ feet of a bridge or tunnel:
 - a. 300 feet
 - b. There are not distance requirements for bridges
 - c. 10 feet, nor any further than 50 feet
 - d. 10 yards, nor any further than 50 yards

7. A pre-trip inspection should be done:
 - a. Whenever you have the time
 - b. Only when you are hauling a HazMat load
 - c. Before each trip
 - d. Each Monday

8. Driver training must include:
 - a. Smoking, parking and attendance guidelines
 - b. Compatibility and segregation on a mixed load
 - c. Loading and unloading of HazMat
 - d. All of the above

9. When transporting HazMat, being in attendance means:
 - a. That you can see your vehicle
 - b. That you are within 100 feet and have clear view
 - c. That you are within 50 feet and have a clear view
 - d. That your vehicle is locked and you are the only one with the keys

10. You must inspect your tires:
 - a. At the beginning of each trip
 - b. Every time you stop
 - c. At the beginning and end of each day
 - d. All of the above

Name: _____

Company: Oakley Trucking, Inc.

Date: _____

HazMat 232 Security Plan Test

1. The HM 232 Security Plan is designed to provide security for whom?
 - a. The employees
 - b. The customers
 - c. The general public
 - d. All of the above

2. Which one of the following is not relevant in a background check?
 - a. Contacting the previous employees
 - b. Investigate gaps in employment history
 - c. Verifying that the drivers are U.S. Citizens
 - d. The make and model of their equipment

3. The Department of Homeland Security has a set standard of alert codes, which one is the highest threat level?
 - a. Blue
 - b. Green
 - c. Yellow
 - d. Orange
 - e. Red

4. Which of these areas would not be considered a secure area for parking a HazMat load?
 - a. An unlit parking lot
 - b. At the entrance of a tunnel
 - c. The back row of a truck stop
 - d. All of the above

5. When broke down with a HazMat load, who should be the first person contacted?
 - a. The Department of Homeland Security
 - b. Your dispatcher
 - c. The nearest police department
 - d. Your nearest National Guard unit

Contains Hazardous Materials

Straight Bill of Lading

Shipper's No. 3051 M

Carrier's No. _____

Carrier:		SCAC:	Date:			
To: Consignee Street Destination Zip:			From: Oakley Missouri, Inc. Shipper: State Route D Street County Road 337 Origin Caruthersville, MO 63830			
Via:	Haz Mat	Product Description:	HazMat Class	Placard Number	Packing Group	Product Description
Bulk	X	Ammonium Nitrate Based Fertilizer	5.1	UN 2057	III	Oxidizer
Bulk	X	Aluminum remelting by-Product (Aluminum Dross)	4	UN 3470	II	Dangerous when Wet
Bulk	X	Environmentally hazardous substance, solid, n.o.s. (Carbon Pitch)	9	UN 3077	III	
Emergency Response Telephone Number: Chem Tree: (800) 424-9300			Placards Supplied: <u>Yes</u>			